Receiving Report

| | Date: | 12/5/11 | , | Batch | No: // / | 21728 | · · · · · · · · · · · · · · · · · · · |
|--|-----------------------|--------------------|--|--|----------------------|-------------------|---------------------------------------|
| | Supplier | METALY | o CAGT | VE Dart I | P/0: _{/.} | 6876 | |
| Packing SI Invoice: Receipt: | ip: Yes Yes Cas | | W SI Q | elease Note A /aybill Attache hipment Com C6 Inspection /ork Order | d: Ye | | |
| Discrepand | cies | | | 0 | Overtity | Quantity | |
| Part Number | | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
| MITS | PU | 1000 | 48 | 0 | O | 48 | , a |
| 7 | P41 | -336 | عر | 0 | U | ay | 13 |
| M 30 | 300. | -336 . Un 61.72 | 12 | 0 | | 12 | |
| Že. | | | Initials | of receiver | (if shipment | OK) Level | 12 |
| Production Date Received/ Initial | | 2/0/11 | complete to the complete to th | | | Locat | ion |
| H;\FORMS\F | ourchasing\a | approved purch\REC | REPORT Rev | D | | - | |

| σ |
|----------|
| _ |
| |
| <u>8</u> |
| |
| ď |

Purchase Order Receipt Listing

Friday, May 11, 2012 1:15:07 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO16876 Receipt Dates from 5/11/2012 to 5/11/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

| Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Oty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Боок Ашт |
|-------------------------------------|--------------------|-------------------------------|---------------------------|-------------------------|------------------------------|--|-------------------------------|------------|
| VC-MET001 Metaux Castle | • | | | | ÷ | | | \$177.70 |
| M303R0.500 f | | 5/14/2012 | 5/11/2012 | 84.0000 | \$2.12 | 0.0000 | 0 | 01.1.10 |
| 303 Round Bar f 0.500" 121728 | | 84.0000 | DESJ02 | | \$177.70 | 0.0000 | 0 | ı. |
| M303R0.750 f | | 5/14/2012 | 5/11/2012 | 48.0000 | \$4.76 | 0.0000 | 0 | \$228.35 |
| 303 Round Bar 0.750 f 121728 | | 48.0000 | DESJ02 | | \$228.35 | 0.0000 | 0 | |
| M303R1.000 f | | 5/14/2012 | 5/11/2012 | 12.0000 | \$9.30 | 0.0000 | 0 | \$111.63 |
| 303 Round Bar 1.00 f | | 12.0000 | DESJ02 | | \$111.63 | 0.0000 | 0 | |
| M204B0 500Y2 500 F | | \$/14/2012 | 5/11/2012 | 0000-61 | \$16.75 | 0.0000 | 0 | \$201.02 |
| 304 BAR .500 x 2.50 f | | 12.0000 | | | | 0.0000 | 0 | |
| 121/28 | | | | | | | | |
| M304B0.750X2.500 f | | 5/14/2012 | 5/11/2012 | 24.0000 | \$25.61 | 0.0000 | 0 | \$614.61 |
| 304 BAR .750 X 2.50 f 121728 | | 24.0000 |) DESJ02 | | \$614.61 | 0.0000 | 0 | |
| M304R0.375 f | | 5/14/2012 | 5/11/2012 | 48.0000 | \$1.41 | 0.0000 | 0 | \$67.53 |
| 304 ROUND BAR f 0.375 | | 48.0000 |) DESJ02 | | \$67.53 | 0.0000 | 0 | |
| 1/20 | | | | | | Total Received Quantity: | uantity: | 228.0000 |
| | | | | | Total | Total Qty to Inspect (PO U/M): Total Reject Quantity: | O U/M): juantity: | 0.0000 |
| | | | | | | Total Receipt Value: | t Value: | \$1,400.85 |

0.0000

Total Balance Due Quantity:



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1306975

| A. M. Castle & Co. (Canada) DA Inc. | | Suid 10: | Deliver To: | Г |
|-------------------------------------|------------------------|--------------------|--------------------|---|
| | DART AEROSPACE LTD | DART AEROSPACE LTD | DART AEROSPACE LTD | Т |
| | 1270 ABERDEEN | 1270 ABERDEEN | 1270 ABERDEEN | |
| MONTREAL HA | HAWKESBURY, ON K6A 1K7 | HAWKESBURY, ON K6A | HAWKESBURY ON | |
| 835-SELKIRK AVENUE CA | A | 1K7 CAN | K6A 1K7 | |
| POINTE CLAIRE, QUEBEC | | | CA | |
| H9R 3S2 | | | | |
| Data Chinnod | | | | Т |
| | | Carrier | BOLNO | |
| 10-MAY-2012 ORIGIN | Prepaid | LOCAL FLEET | 1306975-3 | Γ |

| | | The state of the s | | | | |
|-------------------|-------------|--|---------------------------|----------------|-------------|---|
| Order No | Line No | Item No | Description | | | |
| 2170894 | | 5036 | 0.5000.2.5000.FLA | T.304.STAINLES | S.HR.ANN.P | 0.5000.2.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 |
| | | | SPECIFICATIONS: ASTM A276 | : ASTM A276 | | |
| Purchase Order No | | Part Number | Ordered Oty | | Invoice Qty | .y |
| /16876 / | | | /12.00 FT) | | 13.25 FT | |
| Details/ | | | | | | |
| Delivery No. | Mill | Heat Number N | Mech Id PCS | Width (IN) | ength (IN) | Width (IN) Length (IN) Shipped Qty(LBS) |
| 117596574 | VALBRUNA | 252728 | | | 159 | 56.31 |
| | CORPORATION | | | | | |

Final Destination Branch - MON

Shipment Details

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material any specifications forming a part of the description.

Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned

Name:

Date:

Reviewed by Authorized Castle Metals Representative:

ml 12/05/14

Acciaierie Valbruna s.p.A.





CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE **CERTIFICAT DE RECEPTION** EN 10204 (2005), 3.1

96100 VICENZA (Italia) - Viale della scienza, 25 z.l. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.

State di femitura: Descaled Annealed Hetrolled

Avviso di Spedizione: D-VI11020751

Ordine nr: 29395 97222 CASTLE

Tipo di Elaborazione: E+AOD

Certificato nr: MEST071410/2011/

Conferma ordine nr: El11001301

Marchio di Fabbrica:

Punzone del Collaudatore:



Specifiche: 3304-34 1 304 A ASTM A276 2010 S30400 A

(0) SEC.II PT.A 2010 EDITION

AMS-QQ-S-763 B 304 A ASTM A479 2010A S30400 A

ASME SA479 2010 S30400 A (0)

12/05/14

Qualitá: T-304L #5036

Marca: AISL

Punzonatura: 304

| Pos. nr. | Oggetto | Dimensioni - in | Tolleranza | Lunghezza - in | Coleta | Pēzzi | Peso - LB | Lotto nr. |
|--------------|---------------------|-----------------|------------|----------------|---------|-----------|-----------|-----------|
| Pos. nr. | Gegenstand | Abmossungen | Tolleranz, | Lunge | Schmeke | Stūckzahi | Gewicht | Lotnr. |
| Item nr. | Product description | Dimension | Allowance | Length | Heat | Pieces | Weight | Lotnr. |
| Nr. de poete | Descrip, du produit | Dimension | Tolerance | Lengueur | Coulée | Pieces | Polds | Lotnr. |
| 0010 | Flat | 2,5000 x 0,5000 | 484 T5 | 144 / 160 | 252728 | 3 | 1.949 | 132700790 |

| | | Test | on deliv | ery condition Prü | TES efung aut Referber | T ALLO STA | TO DI FOR | RNITURA | rueba sobre | el material así | come entrega | do | | |
|-----------|--|----------|---|--|---|--|--|------------------------------|----------------------|---|-----------------------------------|----------------------------------|---------------|-------------------------------|
| TEST | Provetta/Protestals Speciment Sprouves Lang Little Speciment Brails Diary, Dicks Width Diary, Dicks Width Diary, Talchouse Lang, claim, specie MIM | ۰F | Poetz. Saggio Protesta Easter Replacement 1) | Snervamento Stratignero Vati State Unite shalips Rp 0,2% k.s.i. | Snervamento Brindgrinde Vald Brant Unite electique | Resistenza Zuglestgina Tunda oranga Resistance à traction Rim k.s.l. | Alkinga Brechol Etner Alonge E 4 | krung sion mere idi | Fine Reduct St | izione degrang toe of asse tratos RA % | Resil Karbed Imper Fleet | GIZA Ispatet Value ence | Ha Ha D | ezza erin kines unin |
| Antondess | ri richiesti 1 ngesfequed value una dimendes | mi ma | | 30 | - | 75 115 | - | 40 | - | 50 | | • | 1 | - |
| A | 12,5 | 68 | L | 48 | | 93 | Òğ. | 53 | | 62 | | | 184 | T |

| TEST | 1 | min | max | |
|------|--------------------------|-----|-----|---|
| _A | Grain size for ASTM E112 | - | | 6 |

Analisi chimica

| | | mfn - max 0,080 | 1,00 | - 2,00 | 18,00 20,00 | 1,00 | 1,00 | 8,00 10,50 | 0,045 | - 0,030 | 0,100 | - | • | - | - | - |
|---|--------|--------------------|------|-----------|----------------|------|------|---------------|-------|------------|-------|---|----|---|---|---|
| ١ | | C % | Si % | Mn % | Cr % | Mo % | Cu % | NI % | P% | S% | N% | | | | | |
| ı | 252728 | 0,013 | 0,49 | 1,69 | 18,39 | 0,51 | 0,49 | 8,12 | 0,033 | 0,021 | 0,088 | 1 | Į. | | | |

Annealing temperature: 1940 °F for 0.5 h/water.

Material is DFARS Compliant

Sono state audilistatte tutte to condizioni richieste De quatalen Astorieuropen sind 8. Artiage edibli. The materiel has been furnished in accordance with the requirements on materiel 8 and trouvis conference aux enganços.

Controlio antimescolanza: OK Verwechstungsrüfung: epectalism Antimbing teefing performed: OK Contrôle antimetange fall: r.e.s.

Controllo visivo e dimensionale: soddisfa le eelgenze Besichtgung und Ausmanaug: ohre Beanstendung Visual inspection and dimensional checks satisfactory Control visual et dimensions: satisfatam i

Melted and manufactured in Italy No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.,4.3 by TUEV and LLCYD'S

Any act of tempering, modification, alteration, counterfeiting and/or faisification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Accidente Valbruma shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acclaterie Valbruna SpA shall not be responsible for any improper use of the

| Vicenza,23/06/11 | ll collaudatore di stabilimento / der Werkssachverständige/ Works inspector / L'agent d'usine | Produce stall d |
|-----------------------|---|-----------------|
| VCQ008 (Mod. MCEZ) | M.Rizzotfg KUM | Pagina - 1 di 1 |
| (MOC. MODE) | <i>por</i> | |

Castle Matric FR
HEAT ALLMBER 25 2723

MECHANICAL ID
ITEM CODE 5036

LOT MUMBER 97222

PO NUMBER 97222

RECEIPT DATE 9.29.2011

SUPPLIER VAI BRUNK

BPECIFICATION

LOS

COMMENT

APPROVED 61

ont, 2/05/14



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1306975

| A. M. Castle & Co. (Canada) DART AEROSPACE LTD DART AEROSPACE LTD Inc. 1270 ABERDEEN 1270 ABERDEEN MONTREAL HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 835-SELKIRK AVENUE CA POINTE CLAIRE, QUEBEC CA H9R 3S2 CA Date Shipped F.O.B. Freight Terms Carrier 10-MAY-2012 ORIGIN Prepaid LOCAL_FLEET 1306975-3 | Ship From: | Sold To: | To: | Ship To: | Deliver To: |
|--|------------------------|--------------|---------------|--------------------|--------------------|
| AL HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 CAN 1K | A. M. Castle & Co. (Ca | nada) DART | AEROSPACE LTD | DART AEROSPACE LTD | DART AEROSPACE LTD |
| AL AL HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 CA 1K7 CAN LAIRE, QUEBEC Ped Ped Prepaid LOCAL FLEET | Inc. | 1270 | ABERDEEN | 1270 ABERDEEN | 1270 ABERDEEN |
| STAIRE, QUEBEC CA 1K7 CAN Pregat Freight Terms Carrier 012 ORIGIN Prepaid LOCAL_FLEET | MONTREAL | HAWK | | HAWKESBURY, ON K6A | HAWKESBURY, ON |
| SLAIRE, QUEBEC CA ped F.O.B. Freight Terms Carrier 012 ORIGIN Prepaid LOCAL FLEET | 835-SELKIRK AVENU | | | 1K7 CAN | K6A 1K7 |
| yped F.O.B. Freight Terms Carrier ORIGIN Prepaid LOCAL FLEET | POINTE CLAIRE, QUE | BEC | | | CA |
| F.O.B.Freight TermsCarrierORIGINPrepaidLOCAL_FLEET | H9R 3S2 | * | | | |
| ORIGIN Prepaid LOCAL_FLEET | | :0.B. | Freight Terms | Carrier | BOL No |
| | ï | ORIGIN | Prepaid | LOCAL FLEET | 1306975-3 |

| Shipment Details | | | Final Destination Branch - MON | ranch - MON | |
|-------------------|-----------|-------------|---|---|------------------|
| Order No | Line No | Item No | Description | | |
| 2170894 | 4 | 14154 | 0.6000.RD.303.STAINLESS.CF.A SPECIFICATIONS: ASTM A582 | 0.6000.RD.303.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582 | 156.0000 |
| Parchase Order No | | Part Number | Ordered Oty | Invoice Qtv |)tv |
| 16876 | | | 84.00 FT | 84.58 FT | |
| Details | | | | | |
| Delivery No. | Mill | Heat Number | Mech Id PCS | Width (IN) Length (IN) Shipped Qtv(LBS) | Shipped Qtv(LBS) |
| 117600392 | NORTH | B9D5 | () | 145 | 56.5 |
| | AMERICAN | | \ | | |
| | STAINLESS | |) | | |

These commodities/fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material and provided and part of the description. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for oredit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

ond ralostry

NORTH AMERICAN STAINLESS

Certificate:

METALLURGICAL TEST REPORT

6870 Highway 42 East. Ghent, KY 41045-9615 (502) 347-6000

Н.

7 0 7

Page:

3/27/2012

Dates

A.M. CASTLE AND COMPANY 1420 KENSINGTON ROAD-SUITE 220 IL 60523 OAK BROOK Mail To: 723702 01 0032 001

IL 60131 A.M. CASTLE AND COMPANY 3400 NORTH WOLF ROAD FRANKLIN PARK Ship To:

ai 0005. Finish: Cold Draw Steel: Dia/The: Leg Length:

144.00 in Length: Corrosion:

> DESCRIPTION: PRODUCT Your Order:

W

LM 80629

Customer: MAS order:

153271

Item Code: 14154

ASTM A582/05 EN 10204 3.1, ASTM A484/10 AMS 56400 TYPE 1, QQS-764B CONDITION A Round Bar, Annealed, Cold Draw SOLUTION ANNEAL TEMP 1900F MIN

COMPLIES W/RRQUIREMENTS OF DFARS EU DIRECTIVE 2002.95. REMARKS:

EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA

FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Bundle Weight Weight Bundie Bundle Weight Wedght Bindle Wedght Bundle Weight Bundle Wedght Bindle Weight 2064 HE50816 Bundle

Bundle Weight

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) ANALYSIS CHEMICAL

| 12 .10 | | | 2 | T-DA | p | G, |
|--------|-------|----------|-------|------|------|-------|
| | 17.31 | .25 1.78 | . 054 | 8.60 | .028 | .3335 |
| ÏS | | | | | | |
| . 49 | | | | - | | |

PROPERTIES. MECHANICAL

| | | 10/8/ July |
|--------------|---------|------------|
| Elng % 2" | 44.50 | |
| RA % | 34.17 | |
| ots ksi | 103.70 | đ |
| .2YS KSI | 85.72 | |
| HB No. | 199.0 | • |
| 5 77 H | n I | |
| | BE50816 | |

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dept. Mgr.

ERIC HESS

pholes

| | cashe Mersia th | |
|---------------|-----------------|--|
| HEAT NUMBER | 19 D5 | |
| MECHANICAL ID | | |
| ITEM CODE | 14154 | |
| LOT NUMBER _ | | |
| PO NUMBER | 158271 | |
| RECEIPT DATE_ | 3-30-12 | |
| SUPPLIER | NAS | |
| SPECIFICATION | | |
| LCS | NO | |
| COMMENT | | |
| APPROVED | BL | |



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:1306975

| Ship From: | <u></u> | Sold To: | Ship To: | Deliver To: |
|-----------------------|-------------|--|--------------------|--------------------|
| A. M. Castle & Co. (| Canada) [| A. M. Castle & Co. (Canada) DART AEROSPACE LTD | DART AEROSPACE LTD | DART AEROSPACE LTD |
| Inc. | | 1270 ABERDEEN | 1270 ABERDEEN | 1270 ABERDEEN |
| MONTREAL | | HAWKESBURY, ON K6A 1K7 | HAWKESBURY, ON K6A | HAWKESBURY, ON |
| 835-SELKIRK AVENUE | _ | OA | 1K7 CAN | K6A 1K7 |
| POINTE CLAIRE, QUEBEC | UEBEC | | | CA |
| H9R 3S2 | | | | |
| Date Shipped | F.O.B. | Freight Terms | Carrier | BOL No |
| 10-MAY-2012 | ORIGIN | Prepaid | LOCAL_FLEET | 1306975-3 |

| Shipment Details | | | Final D | Final Destination Branch - MON | anch - MON | | |
|-------------------|-----------|-------------|----------------|---|--------------------------|---------------|---|
| | | | | | | | |
| Order No | Line No | Item No | Description | ption | | | |
| 2170894 | 2 | 4632 | 0.7500 SPEC | 3.7500.RD.303.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582 | VLESS.CF.AN ASTM A582 | JN.132.0000-1 | 56.0000 |
| Purchase Order No | Part N | Part Number | Ordered On | d Qix | | Invoice Qty | ty |
| 16876/ | | | / 48.00 FT | T: | | 48.00 FT | |
| Details | | | | | | | |
| Delivery No. | IIIIM | Heat Number | Mech Id PCS | PCS | Width (IN) | Length (IN) | Width (IN) Length (IN) Shipped Qty(LBS) |
| 117599183 | NORTH | B5W8 | | 4 | | 144 | 72 |
| | AMERICAN | | - | | | | |
| | STAINLESS | | | | | | |

hese commodities/achnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, werefare exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material are formed for material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material out to the correct size, or material out by the customer cannot be returned

Date: Name:

or deaut. Reviewed by Authorized Castle Metals Representative: and 12/05/1

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

Mail To: 8870 HIGHWAY 42 EAST Certificate: 722663

A.M. CASTLE AND COMPANY CUSTOMER PICKUP 801 TWIN RAIL DRIVE MINOOKA, IL 60447 000032 996

Customer:

A.M. CASTLE AND COMPANY CUSTOMER PICKUP 801 TWIN RAIL DRIVE MINOOKA, IL 60447 Ship To:

3/23/2012 Steel: 303 Date:

Page: 1

Finish: CD

Your Order:

165618

MAS Order: IN 0143030 01

Corrosion:

4633

REMARKS:

DESCRIPTION: PRODUCT

ASTH A582/05 EN 10204 3.1, ASTM A484/10 AMS 56400 TYPE 1, QQS-764B CONDITION A Round Bar, Annealed, Cold Draw

EC. ROBS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA COMPLIES W/REQUIREMENTS OF DEARS EU DIRECTIVE 2002.95. FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

| WeightLength Mark Pieces Commodity of | BOOT ATTEMPTOR | |
|---------------------------------------|----------------|-------|
| Kength Ma | 444 | 74.00 |
| Size Weight | 1.504 | |
| Skid # Diameter | .7500 | |
| Product Id | BE4354 2 | |

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

| HEAT | ğ | ט | 8 | ٤ | ŀ | | | | | | |
|------|----|------------|-------|---------|--------|-----------------|-------|-------|--------|-------|--|
| | | | | 3 | 3 | | 2 | Z | | | |
| B5W8 | SD | .0710 | 2000 | 727 | | | | | 1 | | |
| | • | | 7400 | 17.44/0 | . 3225 | 1.8045 | .3580 | .0443 | 8.5380 | .0310 | |
| | | | | ٠ | | | | | | | |
| * | | t a | IS | | | | | | | | |
| | | .3480 | .3015 | | | - | | | | | |
| i | | | | | | | | | | | |

PROPERTIES MECHANICAL

| | | Jul 12/08/14 |
|-----------------|--------------------|--------------|
| Elng % 4D | 105.17 36.42 33.77 | |
| 2 % | 36.42 | |
| ots rsi | 105.17 | |
| . 2YS KSI | 75.56 | |
| HB Mo. | 203.00 | |
| 5 m ja 6 O U | 13 E4 | |
| Product Id | BE4354 2 | • |

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dept. Mgr.

ERIC HESS

3/23/2012

Castle Metals FP
HEAT NUMBER 55 W 8
MECHANICAL ID
ITEM CODE 4632
LOT NUMBER
PO NUMBER 16568
RECEIPT DATE 3-26-/2
SUPPLIER X/A5
SPECIFICATION
LCS 100
COMMENT:
APPROVED



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No: 1306975

| A. M. Castle & Co. (Canada) DART AEROSPACE LTD Inc. MONTREAL MONTREAL MONTREAL B35-SELKIRK AVENUE CA POINTE CLAIRE, QUEBEC B48 3S2 Date Shipped F.O.B. Freight Terms A. M. Castle & Co. (Canada) PART AEROSPACE LTD 1270 ABERDEEN 1270 ABERDEE | Ship From: | | Sold To: | Ship To: | Deliver To: |
|--|--|------------|---|--|--|
| F.O.B.Freight TermsCarrierORIGINPrepaidLOCAL FLEET | A. M. Castle & Co. (C Inc. MONTREAL 835-SELKIRK AVENU POINTE CLAIRE, QU H9R 3S2 | ada) EC | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 SA | DAŘT AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| ORIGIN Prepaid LOCAL FLEET | | F.O.B. | Freight Terms | Carrier | BOL No |
| | 10-MAY-2012 | ORIGIN | Prepaid | LOCAL FLEET | 1306975-3 |

| Shipment Details | | | Final Destination Branch - MON | Branch - MON | | |
|-------------------|-----------|-------------|--------------------------------|--|--|--|
| | | | | | | |
| Order No | Line No | Item No | Description | | and a contract of the contract | |
| 2170894 | 9 | 4665 | 1.0000.RD.303.S | 1.0000.RD.303.STAINLESS.CF.ANN.132.0000-156.0000 | .132.0000-1 | 56.0000 |
| | | | SOCIALISMS. AS INI ASSOCIA | 0. AUTIM A302 | | |
| Purchase Order No | | Part Number | Ordered Qtv | | Invoice Otv | |
| 16876 | | | (12.00 FT | | 12.42 FT | |
| Details | | | | | | |
| Delivery No. | Mill | Heat Number | Mech Id PCS | Width (IN) Le | (IN) | Width (IN) Length (IN) Shinned Otv/I BS) |
| 117599183 | NORTH | B7H1 | | 149 | 6 | 33 15 |
| | AMERICAN | | | | |) |
| | STAINLESS | | | | | |


These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned

Date: Name:

for credit.
Reviewed by Authorized Castle Metals Representative:

orf 12/05/14



METALLURGICAL TEST REPORT

6870 Highway 42 East Ghent, KY 41045-9615 (502) 347-6000

1 Of 1

Page:

Date:

1420 KENSINGTON ROAD-SUITE 220 IL 60523 A.M. CASTLE AND COMPANY OAK BROOK Mail To: Certificate: 719979 15 0032 001

IL 60131 A.M. CASTLE AND COMPANY 3400 MORTH WOLF ROAD FRANKLIN PARK IL Ship To:

1.0000 in 3/13/2012 Cold Draw 303 Finish Dia/Thk: Steel: Leg Length:

144.00 in Length: Corrosion:

REMARKS:

Item Code: 4665

DESCRIPTION: PRODUCT

LM 81623

149423

Your Order:

Customer: NAS Order:

ASTM A582/05 EN 10204 3.1, ASTM A484/10 AMS 5640U TYPE 1, QOS-764B CONDITION A Round Bar, Annealed, Cold Draw

EC. ROES. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA COMPLIES W/REQUIREMENTS OF DFARS EU DIRECTIVE 2002.95. FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Bundle Weight Bundle Weight Bundle Weight Bundle Weight Bundle Weight Weight Bundle Wedgit Bundle Wedght Bmdle 2203 Weight BE45663 Bundle

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) ANALYSIS CHEMICAL

| Heat | Supplier # | Ĕ | U | ဗ္ဗ | కు | В | MIN | ON. | × | IN | a, | S |
|------|------------|----|------|-----|-------|-----|------|-----|------|------|------|-------|
| B7H1 | | מצ | .042 | .13 | 17.16 | .25 | 1.81 | .35 | .050 | 8.53 | .028 | .3465 |
| | | | SI | | | | | | | | | |
| | | | .38 | | | | | | | | | |
| | | | | | | | | | | | | |

PROPERTIES MECHANICAL

| | | ont 12/04/ |
|------------------------------|---------|---------------|
| Elng % 4D | 28.62 | 12041 |
| RA % | 36.28 | |
| ots Ksi | 110,94 | |
| .2YS KSI | 77.15 | |
| HB No. | 195.0 | |
| ਚ ਜ ਮ ਜ 0 ਹ | Ħ | |
| | BE45663 | |

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dept. Mgr.

ERIC HESS

Castle Metals FP

HEAT NUMBER B7H1

MECHANICAL ID

ITEM CODE 4665

LOT NUMBER 749423

RECEIPT DATE 3-16-12

SUPPLIER N.A.S

SPECIFICATION

LCS NO

COMMENT

APPROVED B1

of 12/05/14



CERTIFICATE OF CONFORMANCE PACKING SLIP/

A. M. Castle & Co.

Page 1 of 1

Shipment No: 1306975

. 2

| Ship From: | | Sold To: | Ship To: | Deliver To: |
|-----------------------------|--------------|------------------------|--------------------|---------------------------------------|
| A. M. Castle & Co. (Canada) | (Canada) | DART AEROSPACE LTD | DART AEROSPACE LTD | DART AEROSPACE LTD |
| Inc. | | 1270 ABERDEEN | 1270 ABERDEEN | 1270 ABERDEEN |
| MONTREAL | | HAWKESBURY, ON K6A 1K7 | HAWKESBURY, ON K6A | HAWKESBIRY ON |
| 835-SELKIRK AVENUE | NUE | CA | 1K7 CAN | K6A 1K7 |
| POINTE CLAIRE, QUEBEC | NEBEC | | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| H9R 3S2 | | | | Ś |
| Date Shipped | F.O.B. | Freight Terms | Carrier | BOLNO |
| 10-MAY-2012 | ORIGIN | Prepaid | LOCAL FLEET | 1306975-3 |
| | | | | |

| Shipment Details | | | Final Destination Branch - MON | ranch - MON | |
|-------------------|-------------|-------------|--------------------------------|---|----------------------|
| | | | | | |
| Order No | Line No | Item No | Description | | |
| 2170894 | 8 | 5062 | 0.7500.2.5000.FLA | 0.7500.2.5000.FLAT.304.STAINLESS HB. ANN PICKI F 132 0000-156 | PICKI F 132 0000-156 |
| | | | 0000 | | |
| | | | SPECIFICATIONS: ASTM A276 | : ASTM A276 | |
| Furchase Order No | Part Number | ımber | Ordered Otv | Invoice Otv | Ot v |
| / 92894 | | | / 24.00 FT | 25 83 ET | |
| Details/ | | | | | |
| Delivery No. | Mill | Heat Number | Mech 1d PCS | Width (IN) Length (IN) Shinned Oty/I BS) | Shinned Oh/(I BS) |
| 117596574 | VALBRUNA | 251514 | 0 | 1 150 | 164 60 |
| | CORPORATION | | 1 | <u> </u> | 60:400 |

These commodities/fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Fortice of the shipment of the material cut by the customer cannot be returned for credit.

Date: Name:

and 12/05/14

Acciaierie Valbruna s.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-USA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: Descaled Annealed Hotrolled



CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

Avviso di Spedizione: D-VI10032865 Lieleranzeige/Packing list/B.L.

Ordine nr: 28768 STOCK CAROL STR

Tipo di Elaborazione: E+AOD zungssri/Melting process/M

Certificato nr: MEST943384/2010/

Conferma ordine nr: El10009891 Werke/Our Order/Ref nr.

Marchio di Fabbrica: Micticano de a coordo. Zelchen des Liefernwerkes Yade merk Sigle de l'usine produzios

Punzone del Collaudatore: Stempel des Werkssechverständigen Inspector's stamp/Poinçon de l'essay



Specifiche: Anforderungen / Requirements / Exiger VSI 0 304/304L A AMS-QQ-S-763 B 304/304L A ASME SA276 2007 S30400/03 A (2) ASTM A182 2010 S30400/03 A (5) ASTM A276 2010 S30400/03 A ASTM A370 2010 MIL-S-862 B/1 304/304L

(0) SEC.II PT.A 2007 EDITION ADD. 2009b (1) SEC.II PT.A 2007 EDITION ADD. 2009b (3) SEC.II PT.A 2007 EDITION ADD. 2009b

(6) For products machined directly from bar refer to ASTM A479.
(7) * ISO 15156-3

AMS 5639 H S30400 A ASME SA182 2007 S30400/03 A (0) ASME SA320 2007 B8 CLASS1 (3) ASTM A193 2010A B8 CLASS1 ASTM A314 2008 S30400/03 ASTM A473 2001 S30400/03 (6) NACE MR0175* 2003 S30400/03 A (7)

AMS 5647 H S30403 A ASME SA193 2007 B8 CLASS1 (1) ASME SA479 2007 S30400/03 A (4) ASTM A282 2010 PRACTICE E ASTM A320 2010 B8 CLASS1 ASTM A479 2010A S30400/03 A QQ-S-763 F 304/304L A

(0) For products machined directly from bar refer to ASME SA479. (2) SEC.II PT.A 2007 EDITION ADD. 2009b (4) SEC.II PT.A 2007 EDITION ADD. 2009b

(6) Chemical analysis only.

Qualité: 304/304L

Marca: AISL Markanbezeichnung/Brand/Nuance

Punzonatura: 304/304L

| Pos. nr. Itam nr. Nr. de pos | Gegenstand Product description Descrip, du produit | | Tolleranza Tolleranza Allowance Tolerance | Lunghezza - In Large Length Longueur | Colata Schmeize Heat Coulée | Pezzi Stückzahl Pieces Pieces | Peso ~ LB Gewicht Weight Polds | Lotto nr. Loenr. Lot nr. Lot nr. |
|------------------------------------|--|-----------------|--|---|--------------------------------------|--|---|---|
| 0180 | Flat | 2,5000 x 0,7500 | 484-09 | 144 / 160 | 251514 | | 2.709 | 121002400 |
| | | | TEST ALLO ST | ATO DI FORNITURA | <u> </u> | | | |

| EST | Provetta/Probectab Specimen*Eprocessin Larg Garn Speed. Breis Dase, Dicha Widn Garn Thickness Larg, diate, spals ITIST | ٥F | | | efung auf fleterber Snervamento Snedgesch Yest Snes Umäu obstique | | Allung Bruch Eloc | jamento debrurg sprion persent E 4d | Styl Einec Reduce 87 | Zione Induro corol ana Eston RA | Pesilienza Resilienza Ketuchiagobak Inpuct Value Pesilienza | Durezza Harte Hartess Durete HB |
|-----------|--|----------|---|----|---|-----------|-------------------------|---|-------------------------------|---|---|---|
| Aniondena | ri richiesti 1 ngentraquind values urs démandées | mi ma | | 30 | - | 75 115 | - | 40 | * | 50 | • | 140 235 |
| <u> </u> | 12,5 | 68 | L | 48 | | 91 | | 55 | | 65 | 1 1 | 184 |

| TEST | • | min | - | |
|------|--------------------------|-----|-----|---|
| | | min | max | |
| A | Grain size for ASTM E112 | 1 | | 9 |
| | | | , | |

Mechanical properties according to ASTM A370.

1)L=longitudinale/langs, T=trasversale/quer, Q=Tenganziale/langential

Analisi chimica

| | | | | | | | | | | | who | | | | | | |
|-----|---------------------------------|--------------------|-------|-----------|----------------|------|---------|--|-------|-------|-------|-------|-----------|---|---|----|---|
| | Colata /Heat Schmelze/Coulée | min - max 0,030 | 1,00 | - 2,00 | 18,00 20,00 | 1,00 | 1,00 | 8,00 10,50 | : | 0.040 | 0,020 | 0,100 | <u> -</u> | · | • | - | 1 |
| - 1 | | C % | C: 0/ | 10-01 | - A | | | | | | 0,000 | 0,100 | 1" | - | • | i• | Ł |
| - 1 | | U 76 | Si % | Mn % | Cr% | Mo % | Cu % | Ni% | Co% | P% | 5% | N % | | | | | 1 |
| | 251514 | 0.022 | 0.54 | 4 00 | امتمدا | | | | 00 ,0 | ' " | 0 70 | JV 70 | ļ | | | 1 | L |
| Į | 201014 | 0,022 | 0,51 | 1,69 | 18,16 | 0,42 | 0.44 | 8,11 | 0,100 | 0,028 | 0,023 | 0.085 | | | | 1 | ı |
| - | | | | | | | _ , , , | — • • • • • • • • • • • • • • • • • • • | 0,100 | 0,020 | 0,020 | 0,000 | | | | 4 | 1 |

Produced without class i-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E; ok.

Material is DFARS Compliant

| Vicenza,17/11/10 | Il collaudatore di stabilimento / der Werkssachverständige/ Works inspector / L'agent d'usine | |
|------------------|---|-----------------|
| VC0008 | | Pagina - 1 di 2 |
| (Mod. MGEA) | M. Aizzotto Kunk | |

Acciaierie Valbruna s.p.A.





CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS **INSPECTION CERTIFICATE** CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-USA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: Descaled Annealed Hotrolled

Avviso di Spedizione: D-VI10032865 Lieferanzeige/Pecking HeVB,L.

Ordine nr: 28758 STOCK CAROL STR

Tipo di Elaborazione: E+AOD

Certificato nr: MEST943384/2010/

Conferma ordine nr: El10009691 Werke/Our Order/Ref nr.

Marchio di Fabbrica: Zeichen des Liefernwerkes Trade mark Sigle de l' usine produtrice

Punzone del Collaudatore: Stempel des Werkssachverständigen Inspector is stamp/Poincon de l' assayeur

Controllo visivo e dimensionale: soddisfa le esigenze Beschiquitg und Aus nessung: ofine Beanstandung visual inspection and dimensional checks zatitalactory Controllo visual et dimensions: settistiscut



Sono state soddisfatte tutte le condizioni richieste Die gesiellen Anforderungen sind it. Anlege erlött The material has been furnished (is accordance with the requirements Le material is at brank conforme use adognoses

Melted and manufactured in Italy

Controllo antimescolanza: OK Controlic antismescolanza: OK Verweckshipproling: specialenslytisch durchgetillet Antimbong testing performed: OK Controls antimelange fahr r.e.s.

No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.,4.9 by TUEV and LLOYD`S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Accidente Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Accidence Valibruna SpA shall not be responsible for any improper use of the

istodius

Castle Metals FD

| HEAT NUMBER 251514 |
|--|
| MECHANICAL ID |
| ITEM CODE. 5002 |
| LOT NUMBER |
| PO NUMBER 6373.1 |
| RECEIPT DATE 2/17/11 |
| supplier Valbrina |
| SPECIFICATION |
| LCSV |
| COMMENT |
| APPROVED |
| The state of the s |

Vicenza,17/11/10 VCQ008

(Mod. MCER)

li collaudatore di stabilimento / der Werkssachverständige/ Works inspector / L` agent d` usine M. Rizzoty Kunk

Pagina - 2 di 2



CERTIFICATE OF CONFORMANCE PACKING SLIP/

A. M. Castle & Co.

Page 1 of 1

Shinment No-1306975

| Ship From: | | Sold To: | Ship To: | Deliver To: | |
|--|-----------|-------------------------------------|---|--|-------------------------|
| A. M. Castle & Co. (Canada) Inc. | (Canada) | DART AEROSPACE LTD 1270 ABERDFEN | DART AEROSPACE LTD | | SPACE LTD |
| MONTREAL | | HAWKESBURY, ON K6A 1K7 | | | Y. ON |
| 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2 | QUEBEC | CA | 1K7 CAN | | |
| Date Shipped | F.O.B. | Freight Terms | Carrier | BOI NO | |
| 10-MAY-2012 | ORIGIN | Prepaid | LOCAL_FLEET | 1306975-3 | 75-3 |
| Shipment Details | | | Final Destination Branch - MON | inch - MON | |
| Order No | Line No | Item No | Description | | |
| 2170894 | <u></u> | 15043 | 0.3750.RD.304/304L.STAINLESS SPECIFICATIONS: ASTM A276 | 0.3750.RD.304/304L.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A276 | 32.0000-156.0000 |
| Perchase Order No | | Part Number | Ordered Otv | | Invoice Otv |
| 16876 | | | (48.00 FT) | 48 00 FT | FT |
| *Details | | | | | |
| Delivery No. | Mill | Heat Number | Mech Id PCS | Width (IN) Length (IN) | (V) Shipped Otv(I BS) |
| 117599183 | AMERICAN | B6W3 | 4 | 144 | |
| | STAINLESS | | | | |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby carlify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description.

Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned Feviewed by Authorized Castle Metals Representative:

Name: Date:



METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

6870 HIGHWAY 42 EAST

Mail To: Certificate: 732280

A.M. CASTLE AND COMPANY CUSTOMER PICKUP 801 TWIN RAIL DRIVE MINOOKA, IL 60447 000032 996

Customer:

CASTLE AND COMPANY CUSTOMER PICKUP 801 TWIN RAIL DRIVE MINOOKA, IL 60447 A.M.

4/27/2012 Date:

Page:

Steel: 304/304L

Finish: CO

169083 Your Order:

15043 NAS Order: IN 0144777 01

Corrosion: ASTM A262 Prac A/E OK

ASTM A276/10, ASTW A479/10a, ASTM A182/10 CHEM ONLY, AMS 5639H, AMS 5647J, AMS QQS-763B, QQS-763F UNS 30400/30403 EN 10204 3.1, ASTM A484/10 ASME SA479/10a, ASME SA182/10 CHEM ONLY DESCRIPTION: Round Bar, Annealed, Cold Draw SOLUTION ANNEAL TENT 1900F MIN PRODUCT

EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA COMPLIES W/REQUIREMENTS OF DFARS EU DIRECTIVE 2002.95. FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION REMARKS:

; . . i

Pieces Commodity Code 15043 Mark --Length----144.00 1,002 .3750 BE4579 8

Weight

Size

Skid # Dismeter

Ħ

Product

CM(Country of Melt) ES(Spain) US(United States) ZA(South ANALYSIS CHEMICAL

| (Common Section of Section Africa) JP(Japan) | | M NI ON | .2860 .0720 8.5365 .0334 | | |
|--|-----|---------|--------------------------|-----|-------|
| 2 | ľ | | cd | | |
| Salura Adula | P P | | 1.3985 | | |
| | Đ | | .3645 | | |
| | £ | | 18.1160 | | |
| | 8 | 1365 | | SI | .3505 |
| | ဎ | .0246 |))) | 82 | .0250 |
| | ð | SD | | | |
| | EAT | 6W3 | | | |
| U | 国 | ă | | 1 1 | |

PROPERTIES MECHANICAL

| · | | M 12/05/14 | |
|---|--------------|------------|--|
| Id 0 1 HB .2YS c x No. KSI R L 210.00 97.65 | Klng % 2= | 35.10 | |
| rd o 1 HB .2YS c x No. KSI R L 210.00 97.65 | 42 % | 71.82 | |
| 1 K | ots Kei | 1 | |
| 1 K | .2YS KSI | 97.65 | |
| 1 K | HB No. | 210.00 | |
| Product 1d BR4579 8 | | ri K | |
| | Product 1d | BR4579 8 | |

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dept. Mgr.

ERIC HESS

4/27/2012

Castle Metals FP
HEAT NUMBER BGW3
MECHANICAL ID
ITEM CODE 15043
LOT NUMBER
PO NUMBER 169083
RECEIPT DATE 4-30-/2
SUPPLIER NAS
SPECIFICATION
LCS WD
COMMENT
APPROVED

In July



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO16876

Purchase Order Date 5/02/12 PO Print Date 5/02/12

Page Number 2 of 4

Order From:

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100

TORONTO, ON M4Y 3A5

CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Yours ppd

Terms Currency Net 30 CAD

FOB

Destination-Collect

M121728

Special Inst:

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

NOTE:

PLEASE SHIP MATERIAL TO METCOR

560 BOULV. ARTHUR SAUVE

SAINT-EUSTACHE, QC

J7R-5A8 450-473-1884

M303R0.500

UDY

303 Round Bar 0.500"

5/14/12 Yes

84.00

\$2.0900

\$175.56

Special Inst:

MATERIAL: 303 ROUND BAR AS PER

ASTM A582

NOTE: 304/316 NOT ACCEPTABLE

M303R0.750

303 Round Bar 0.750

5/14/12 Yes

\$4,7000

\$225.60

Special Inst:

MATERIAL: 303 ROUND BAR AS PER

ASTM A582

NOTE: 304/316 NOT ACCEPTABLE

M303R1.000

303 Round Bar 1.00

5/14/12

\$9.1900

\$110.28

Yes

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date:

5/02/12



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO16876

Purchase Order Date 5/02/12 PO Print Date 5/02/12

Page Number 3 of 4

Order From:

METAUX CASTLE

VC-MET001

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100 TORONTO, ON M4Y 3A5

CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buver

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: 303 ROUND BAR AS PER

ASTM A582

NOTE: 304/316 NOT ACCEPTABLE

M304B0.500X2.500

304 BAR .500 x 2.50

5/14/12

Yes

\$16.5500

\$198.60

Special Inst:

AISI 304/316 SS BAR OR AISI 304/316 SS

PLATE

AS PER ASTM A276 OR ASTM A240

(NOTE: AISI 303 NOT ACCEPTABLE)

M304B0.750X2.500

M304R0.375

304 BAR .750 X 2.50

304 ROUND BAR 0.375

5/14/12

\$25,3000

\$607.20

000

Yes

AISI 304/316 SS BAR OR AISI 304/316 SS

PLATE

Special Inst:

AS PER ASTM A276 OR ASTM A240

(NOTE: AISI 303 NOT ACCEPTABLE)

5/14/12 Yes

\$1.3900

· \$66.72

029

Special Inst:

AISI 304/316 SS ROUND BAR

SPEC: ASTM A276

(NOTE: AISI 303 NOT ACCEPTABLE)

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

2

Change Date: 5/02/12



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO16876

Purchase Order Date 5/02/12 PO Print Date 5/02/12

Page Number 4 of 4

Order From:

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100 TORONTO, ON M4Y 3A5

CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

10127-2607

Requisition Nbr

Tax Resale Nbr

Net 30

Terms Currency

CAD

FOB

Destination-Collect

M303B2.000X1.750

303 BAR 2" X 1.750"

5/14/12 Yes

12.00

Yours ppd

\$104.0000

\$1,248.00

Special Inst:

MATERIAL: AISI 303 SS BAR AS PER

ASTM A582

NOTE: 304/316 NOT ACCEPTABLE

PO Total:

\$3,510.36

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

2

Change Date: 5/02/12